

Indications CzechSpas ENG.xls

		Superior Czech Spas							Czech Spas				Regional Czech Spas										Czech Spas For Children																		
		Karlovy Vary	Mariánské Lázně	Jáchymov	Poděbrady	Františkovy Lázně	Teplice	Třeboň	Jánské Lázně	Lázně Běláhrad	Luhačovice	Jeseník	Karlova Studánka	Lázně Lipová	Velké Losiny	Teplice nad Bečvou	Béloves	Bechyně	Konstantinovy Lázně	Ostrožská Nová Ves	Lázně Libverda	Hodonín	Klimkovice	Karviná	Bílina	Dubí	Lázně Bohdaneč	Lázně Toušeň	Mísené Lázně	Slatnice	Velichovky	Vráž	Darkov	Náchod	Osečná	Pozlovice	Skalka	Lázně Kynžvart			
Oncological Diseases (For Recuperation After a Treatment Only)	Oncological cases after finishing complex treatment without any signs of relapse.	●	●			●							●																												
	Balneotherapy is preferable mainly M. Hodgkin, nonhodkin lymphomas	●									●		●																												
	Cancers of testis, gastric, colorectal carcinomas (colostomy is not contraindication)	●											●																												
	Carcinomas of upper breath airways, pharynx and larynx. Breast cancer (Spa treatment is allowed even during hormonal therapy)		●										●																												
	Brain and skin cancers, cancers of gall bladder, pancreas cancers, and sarcomas of bones and soft tissues, cancers of thyroid, prostate	●	●											●																											
	Lung cancers (primary bronchi Ca). Spa therapy usually one year after termination of complex care in persisting remission also in kidney tumors (Grawitz tumor)		●											●																											
	The applicability of balneotherapy in chronic leukemia is decided by hematologist	●	●																																						
Spa therapy in other less frequent tumors is indicated by the oncologist individually	●												●																												
Diseases of circulatory systém	Therapeutic and educational stay of the patient with prognostically serious risk factors (dyslipoproteinemia or combination of other RF: Diabetes mellitus manly type II, obesity, hyperurikemia, genetic burden)				●	●						●			●				●	●																					
	Status after myocarditis until 12 months after onset of the disease				●	●									●	●			●	●																					
	Congenital and acquired heart defects				●	●									●	●			●	●																					
	Symptomatic ischemic heart disease				●	●						●			●	●			●	●																					
	Status post myocardial infarction at least until 4 months after onset of MI (patient after acute myocardial infarction with non complicated course)				●	●									●	●			●	●																					
	Ischemic heart disease with status after myocardial infarction after 4 months from onset and until 12 months from onset of the disease.				●	●									●	●			●	●																					
	Hypertensive disease of I-III. Grade according WHO. Juvenile hypertension.				●	●	●					●	●		●	●			●	●	●																				
	Arterial diseases of lower extremities on atherosclerotic or inflammatory bases of I. to II. B grade.				●	●	●								●	●			●	●	●																				
	Statuses after thromboses and tromboflebitis with persistent consequences at least 3 months after termination of acute stage, statuses after varix surgery, chronic lymphatic edema				●	●	●								●	●			●	●	●																				
	Functional defects of peripheral vessels				●	●	●						●		●	●			●	●	●																				
	Statuses after surgery of congenital or acquired heart defects, after revascularization surgery. Statuses after PTA				●	●									●	●			●	●																					
Statuses after reconstructive and revascularization surgery on vascular systém				●	●	●								●	●			●	●																						

		Superior Czech Spas								Czech Spas				Regional Czech Spas										Czech Spas For Children																						
		Karlovy Vary	Mariánské Lázně	Jáchymov	Poděbrady	Františkovy Lázně	Teplice	Třeboň	Jánské Lázně	Lázně Bělohrad	Luhačovice	Jeseník	Karlova Studánka	Lázně Lipová	Velké Losiny	Teplice nad Bečvou	Béloves	Bechyně	Konstantinovy Lázně	Ostrožská Nová Ves	Lázně Libverda	Hodonín	Klimkovice	Karviná	Bílina	Dubí	Lázně Bohdaneč	Lázně Toušev	Mísené Lázně	Slatnice	Velichovky	Vráž	Darkov	Náchod	Osečná	Pozlovice	Skalka	Lázně Kynžvart								
Gastrointestinal tract diseases	Chronic functional stomach dyspepsia also on the bases of duodenal reflux, cardioesophageal irritation and other benign symptomatic diseases of esophagus (hiatal hernia, reflux esophagitis), erosive gastritis after eradication of <i>Helicobacter pylori</i> .	●									●																																			
	Gastroduodenal ulcer disease, bulbitis with exacerbation also in remission, including chronic dyspepsia persisting after the treatment or remission.	●									●																																			
	Status after operations on stomach, duodenum and esophagus.	●									●																																			
	Chronic intestinal disorders with manifestation of maldigestion or malabsorption, statuses after serious intestinal infections and cured parasitoses, irritable bowel syndrome, habitual or secondary induced obstipation.	●									●																																			
	M. Crohn, idiopathic proctocolitis	●									●																																			
	Status after resection of small intestine or colon – it is not referred to appendectomy	●									●																																			
	Chronic diseases of stomach, gallbladder and biliar tract with or without lithiasis if the operation is not recommended. Parasitoses of biliar tract /clonorchis, opisto-orchis and so on./ as a part of conservative therapy, preoperative preparation. Functional disorders of biliar tract.	●									●																																			
	Status after surgery on gallbladder and biliar tract, after endoscopy and other instrumental interventions for stenosis and lithiasis of biliar tract. Statuses after dissolution of stones and extracorporeal lithotripsy.	●									●																																			
	Status after acute hepatitis whatever is the etiology and toxic liver damage / medicamentous, professional/, chronic active hepatitis with persistence of infectious markers, status after infectious mononucleosis with liver damage, congenital disorders of liver function and other chronic liver diseases.	●									●																																			
	Status after acute pancreatitis or exacerbation of chronic pancreatitis, detected chronic pancreatitis, status after surgery and transplantation of pancreas	●									●																																			
Diseases caused by metabolic and endocrinological disorders	Diabetes mellitus until 6 months from recognition of illness – educational program.	●			●						●		●																																	
	Diabetes mellitus with exception for indications in IV/1.	●	●		●						●		●																																	
	Diabetes mellitus with complications (micro and macroangiopathy, neuropathy). DM with severe, treatment resistant obesity.	●			●						●		●																																	
	Obesity	●	●		●						●		●												●																					
	Hyperlipoproteinemia type II.- V.	●			●						●		●																																	
	Thyreotoxicosis											●		●																																
	Status after a thyroid gland surgery for thyreotoxicosis.											●		●																																
	Status after surgery of benign adrenal and pituitary adenoma leading to hyperfunctional syndrome.											●		●																																

		Superior Czech Spas							Czech Spas					Regional Czech Spas											Czech Spas For Children														
		Karlovy Vary	Mariánské Lázně	Jáchymov	Poděbrady	Františkovy Lázně	Teplice	Třeboň	Jánské Lázně	Lázně Bělohrad	Luhačovice	Jeseník	Karlova Studánka	Lázně Lipová	Velké Losiny	Teplice nad Bečvou	Běloves	Bechyně	Konstantinovy Lázně	Ostrožská Nová Ves	Lázně Libverda	Hodonín	Klimkovice	Karviná	Bílina	Dubí	Lázně Bohdaneč	Lázně Toušeň	Mísené Lázně	Slatinice	Velichovky	Vráž	Darkov	Náchod	Osečná	Pozlovice	Skalka	Lázně Kynžvart	
Non-specific diseases of respiratory system	Status after surgery on upper and lower respiratory system. /it does not refer to status after surgery on tonsils, adenoids and nasal septum		●									●	●																										
	Hypertroph. or atroph. Inflammations of upper respiratory tract, ozena in continuous special care, chronic sinusitis, Sino bronchitis continuously treated		●									●	●																										
	Larynx and vocal cords damage as a consequence of overloading /teachers, reverends,.../.											●	●																										
	Allergic nasopharyngitis confirmed by alergologic examination in permanent care		●									●	●																										
	Status after recurrent or complicated lung inflammation		●									●	●																										
	Chronic bronchitis in permanent care, including chronic mucopurulent bronchitis and bronchiectasis. Recurrent inflammation of lower respiratory airways and chronic inflammation of respiratory tract caused by a risk of fibrogenic powder with disorder of lung function.		●									●	●																										
	Chronic obstructive bronchitis		●									●	●																										
	Astma bronchiale in all stages, including professional etiology		●									●	●																										
	Interstitial fibrosis of lungs whatever is the etiology in long time care including pneumoconiosis in all stages.		●									●	●																										
	Consequences of damage, respectively toxic effect of gasses, smokes, corrosive vapor and irrigative powder on upper and lower respiratory tract		●									●	●																										
Neurological disorders	Plegic palsy, except posttraumatic, including postinfectious polyradikuloneuritis, postpoliomyelitic syndrom							●						●									●																
	Polyneuropathy with paretic manifestations			●		●		●						●								●		●		●		●											
	Radicular syndromes of vertebrogenic etiology		●	●			●	●	●	●										●	●	●		●		●		●											
	Inflammatory diseases of central neuronal system / status after meningoencephalitis/ if there is presence of spastic and paretic signs								●						●									●															
	Hemiparesis and paraparesis of vascular etiology without significant psychical changes and with signs of reestablishing function.								●						●									●															
	Status after injuries and operations of central and peripheral neuronal system with defect of motility, with signs of reestablishing of function			●					●	●					●									●		●		●											
	Multiple sclerosis and other demyelinative disorders out of acute phase																							●		●													
	Neuromuscular diseases, primary, secondary and degenerative								●						●									●															
	Syringomyelia with paretic manifestations																							●				●											
	Poliomyelitis with capacity of autonomous walk and without significant psychical changes, in condition of keeping of ability to work or self-sufficiency								●															●				●											
	Parkinson's disease.		●																		●	●		●				●											

Indications CzechSpas ENG.xls

		Superior Czech Spas								Czech Spas				Regional Czech Spas										Czech Spas For Children															
		Karlovy Vary	Mariánské Lázně	Jáchymov	Poděbrady	Františkovy Lázně	Teplíce	Třeboň	Jánské Lázně	Lázně Běláhrad	Luháčovice	Jeseník	Karlova Studánka	Lázně Lipová	Velké Losiny	Teplíce nad Bečvou	Běloves	Bechyně	Konstantinovy Lázně	Ostrožská Nová Ves	Lázně Libverda	Hodonín	Klimkovice	Karviná	Bílina	Dubí	Lázně Bohdaneč	Lázně Toušeň	Mísené Lázně	Slatnice	Velichovky	Vráž	Darkov	Náchod	Osečná	Pozlovice	Skalka	Lázně Kynžvart	
Diseases of musculoskeletal system	Rheumatoid arthritis grade I-IV. (including juvenile arthritis).			●			●	●		●							●		●		●						●												
	Ankylosing spondylitis (Bechtjerev's disease)			●			●	●		●								●		●		●					●	●		●									
	Other seronegative spondarthritis (psoriatic arthritis, Reiter's sy, enteropatic arthritis) and reactive (parainfectious) and secondary arthritis			●			●	●		●			●					●			●						●		●										
	Diffuse disease of connective tissue with joint manifestations (system lupus erythematosus, sclerodermia, polymyositis a dermatomyositis, Sjogren's syndrome and other miscellaneous sec.).			●			●			●			●								●																		
	Arthropatias joining hematological, endocrine, neurological and pulmonary diseases (hemophilic, diabetic arthropathy, akromegalia, hypertyreosis, hypertrophic pulmonary osteoarthropatia, artrosis from decreased pain perception, etc.)			●			●			●											●																		
	Metabolic diseases with affection of joints (arthragra, articular chondrocalcinosis, ochronotic arthropatia, etc.)	●	●	●			●	●		●																													
	Osteoporosis primary and secondary (especially from inactivity) mainly with muscular paravertebral spasms			●			●	●		●							●													●	●								
	Algesic sy. of tendons, bursas, subcutaneous tissue, fat and skeletal muscles, including disorders caused by work with vibrating tools and excessive one-sided load, extraarticular rheumatism local and global..						●	●		●	●								●		●						●												
	Coxarthrosis in permanent care					●	●		●											●							●		●		●								
	Gonarthrosis in permanent care			●		●	●	●		●										●	●							●		●		●							
	Arthrosis in other localisations (including Heberden's polyarthrosis with affection of joints of hands and legs.)			●		●	●	●		●										●	●							●		●		●							
	Vertebrogenic algesic syndrome of functional or degenerative origin, treated permanently.			●		●														●																			
Idiopathic scoliosis and other's with a burden up to 60 grades according to Cobb, permanently treated.		●						●	●											●			●																
Status after injuries of musculoskeletal system and after orthopedic operations including stuses after vertebral discs and vertebral canal stenosis.		●	●				●	●	●													●	●																
Status after orthopedic operations with use of joint prosthesis Preoperative preparation before planned joint replacement																																							

Indications CzechSpas ENG.xls

		Superior Czech Spas								Czech Spas			Regional Czech Spas										Czech Spas For Children																			
		Karlovy Vary	Mariánské Lázně	Jáchymov	Poděbrady	Františkovy Lázně	Teplice	Třeboň	Jánské Lázně	Lázně Běláhrad	Luhačovice	Jeseník	Karlova Studánka	Lázně Lipová	Velké Losiny	Teplice nad Bečvou	Béloves	Bechyně	Konstantinovy Lázně	Ostrožská Nová Ves	Lázně Libverda	Hodonín	Klimkovice	Karviná	Bílina	Dubí	Lázně Bohdaneč	Lázně Toušeň	Mísené Lázně	Slatnice	Velichovky	Vráž	Darkov	Náchod	Osečná	Pozlovice	Skalka	Lázně Kynžvart				
Diseases of urinary tract	Nontuberculous chronic inflammations of urinary ways, chronic pyelonephritis		●																																							
	Nephrolithiasis without any mark of congestion in urinary ways, nephrocalcinosis		●																																							
	Status after operations of the kidney and urinary ways including endovesical operations, status after prostatectomy and nephrolithotripsy (nephrolitholapaxis)		●																																							
	Prostatitis, prostatovesiculitis, Chronic urethritis		●																																							
	Status after kidney transplantation with the stabilized function of the graft		●																																							
Mental disorders	Psychosis in the stadium of remission										●															●																
	Neurotic disorders and others no psychotic disorders including psychosomatic disorders.										●															●																
Skin diseases	Atopic eczema										●	●																														
	Psoriasis vulgaris.											●																														
	Psoriasis generalisata et arthropatica.											●							●																							
	Acne conglobata et indurata											●																														
	Chronic dermatosis											●																														
	Toxic contact dermatitis and eczema of professional origin with systematic professional treatment											●																														
	Status after burns and after reconstructive operations, where is the risk of scar shrinking, until 6 months after healing							●	●				●					●																								
Female diseases	Sterility and infertility (primary and secondary sterility on the base of inflammatory as well as functional, abortus habituais).		●			●																																				
	Defect of ovarian function and development of uterus (hypoplasia uteri, oligohypomenorea, cyclus anovularis, insuffientia ovarialis, deviation uteri).		●			●																																				
	Inflammatory disease of inner female genitals and its results (inflammatory complications after artificial abortion of gravidity, colpitis chron.occlusion tubarum,parametritis chronica, adhesiones organorum pelvis minoris).		●				●																																			
	Status after gynecol. operations and after operations in the area of small pelvis		●				●																																			
	Functional disorder (climacteric syndrome, dyspareunie, algopareunie, frigiditis, dysmenorhea, algomenorhea,pelviphathia spastica).		●				●					●																														